





4

3

2

1



1000



STD NUT

*C/W 3 NUTS, LOCKNUT & 2 WASHERS
GRADE 8.8 HIGH TENSILE

NUTS

BOLT SIZE	A	B	C
M16	26.65	30.48	17.1
M16 LOCKNUT	23.00	26.100	8
M20	31.5	36.05	20.87
M24 LOCKNUT	29.30	33.000	8.200
M24	40.17	46.07	24.79
M24 LOCKNUT	34.32	39.120	9.89
M30	49.29	56.58	30.71
M30 LOCKNUT	45.27	51.470	15.58
M33	52.17	59.9	33.71
M33 LOCKNUT	48.92	55.740	17.35
M36	59.47	68.15	36.26
M36 LOCKNUT	59.47	68.150	17.35

PART NO

GALVWEIGHTS

R16HT8.8	1.8KG
R20HT8.8	2.9KG
R24HT8.8	4.6KG
R30HT8.8	6.8KG
R33HT8.8	7.4KG
R36HT8.8	8.7KG

WASHERS

WASHER SIZE	D	E	F
M16	40	17	3.5
M20	50	21	4
M24	60	25	4.5
M30	78	33	5.5
M33	78	34	5.5
M36	78	37	5.5

STANDARDS

ALL PRODUCTS TO CONFORM TO THE FOLLOWING AUSTRALIAN STANDARDS.

- * AS 1170.2 Structural design actions - Wind actions.
- * AS 1554(set) Structural steel welding set.
- * AS 2159: Piling - Design & Installation.
- * AS 2870: Residential slab footings - Construction.
- * AS 3600: Concrete structures
- * AS 3678: Structural steel - Hot rolled plates, floorplates and slabs.
- * AS 4680: Hot dip galvanized (Zinc) Coatings on fabricated ferrous articles.
- * AS/NZS 4671: Steel reinforcing materials.
- * AS/NZS 4600: Cold formed steel structures.

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF G&S INDUSTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF G&S INDUSTRIES IS PROHIBITED.

SCALE: AS SHOWN PRODUCT WEIGHT: AS SHOWN

PRODUCT FINISH: HOT DIPPED GALVANIZED

CUSTOMER APPROVAL:

CUSTOMER NAME / PROJECT:

NAME DATE

DRAWN N. A. 11.04.2025
CHECKED S. G. 11.04.2025
APPROVED R. G. 11.04.2025

COPYRIGHT

THIS DOCUMENT IS PRODUCED BY G&S INDUSTRIES
MUST NOT BE COPIED, TRACED, REPRODUCED,
OR LENT WITHOUT WRITTEN CONSENT

PART NUMBER :

R16-30HT8.8

TITLE :

**16-30MM STRAIGHT THREADED
BOLT ARRANGEMENT
GRADE 8.8 HIGH TENSILE**

SIZE DWG. NO.

A4

ZLRG4571

REV.

0

SHEET 1 OF 1

4

3

2

1



97 GUTHRIE STREET,
OSBORNE PARK W.A. 6017

PH : +6108 9446 8044

EMAIL: sales@gsindustries.com.au

WEB: www.gsindustries.com.au